

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

<https://zarges.nt-rt.ru/> || [zsc@nt-rt.ru](mailto:zsc@nt-rt.ru)

# Accessories

## Shelf compartment



### Variants

Order number

46100

46101

## Shelf support

### Variants

Order number

46214

## Rubber for shelf support

### Variants

Order number

46215

## Shelf compartment, plastic

### Variants

Order number

46212

# Shelf compartment, plastic, with holes



## Variants

### Order number

46213

# Wire mesh compartment



## Details

- Chrome nickel steel 1.4301, electropolished.
- Frame wire: 6.0 mm
- Mesh wire: 3.0 mm
- Mesh size: 25 x 25 mm
- Suitable for sterile containers.
- Installed with plastic mount 46254.

## Variants

| Order number | Weight |
|--------------|--------|
|--------------|--------|

|       |        |
|-------|--------|
| 46550 | 1.5 kg |
|-------|--------|

# ISO frame for drawers



## Variants

### Order number

46188

46189

# Frame for suspension file



## Variants

### Order number

46505

46506

# Medication refrigerator

SKU: ZARGES\_4\_00002700

## Details

- Free-standing, can also be installed in modular cupboards.
- Various models in accordance with customer requirements.
- Complies with the relevant regulations.
- Price on request.

# Safe for anaesthetics (BTM)

SKU: ZARGES\_4\_00002710

## Details

All BTMs meet the requirements of the safety levels prescribed by law (delivery includes mounting material and keys). On request, BTMs can be installed in modular cupboards.

- Special sizes available, e.g. with integrated modular system.
- Price on request.

# Permanently mounted shelf for W 105 N

SKU: ZARGES\_4\_00002720

# Insert levels for ISO standard modules W 105 N

SKU: ZARGES\_4\_00002730

# Folding shelf for W 105 N

SKU: ZARGES\_4\_00002740

# Height-adjustable shelf for W 105 N

SKU: ZARGES\_4\_00002750

# Removable shelf for W 105 N

SKU: ZARGES\_4\_00002760

## ZIP box holder, 3 compartments



### Variants

| Order number | Weight |
|--------------|--------|
| 46333        | 0.9 kg |

## Wire basket for standard rail



### Variants

| Order number | Weight |
|--------------|--------|
| 46334        | 0.4 kg |

## Catheter racks for standard rail



### Variants

| Order number |
|--------------|
| 46391        |

## Holder for x-ray envelopes

### Variants

| Order number |
|--------------|
| 46339        |

# Infusion holder

## Variants

Order number

46381

# Top railing for W 105 N

SKU: ZARGES\_4\_00002990

# Retaining ring for cannula disposal box



## Variants

Order number

46378

# Mount for corner post



## Variants

Order number

364779

# Bar structure



## Variants

Order number

46295

# Universal dispenser 500 ml



## Variants

### Order number

46374

# Instrument tray with lid slot

## Variants

### Order number

46390

# Document holder

## Variants

### Order number

46253

# Hanging file holder made of wire



## Variants

### Order number

46337

# Trolley-top bumper and reinforced corners for W 105 N

SKU: ZARGES\_4\_00003140

# Coloured markings for W 105 N

SKU: ZARGES\_4\_00003150

# Label frame

SKU: ZARGES\_4\_00003160

# Blackboard

SKU: ZARGES\_4\_00003170

# Door lock for W 105 N

SKU: ZARGES\_4\_00003180

# Lead seal for W 105 N

SKU: ZARGES\_4\_00003190

# Special castors for trolleys

SKU: ZARGES\_4\_00003200

# Drawbar and coupling

SKU: ZARGES\_4\_00003210

# Shock protection for mobile scaffolding



## Details

- To protect objects when they are in contact with the mobile scaffold.
- For tubes of Ø 50 mm.
- Length: 220 mm Colour: blue.

### More Information

Warranty

Missing translation

## Variants

| Order number | Weight |
|--------------|--------|
| 42847        | 0.1 kg |
| 40189        | 0.2 kg |

# Toolbag



## Details

- Mobile tool pouch with different storage compartments.
- With shoulder strap for easy carrying.
- Highly flexible in terms of mounting options.

- Maximum load capacity of 15 kg.

#### More Information

Warranty Missing translation

Material Polyester

### Variants

| Order number | Material  | Warranty            |
|--------------|-----------|---------------------|
| 40301        | Polyester | Missing translation |

## Tray



### Details

- As storage for tools and work materials. For attachment on guardrails with a diameter of 36 mm or 40 mm.

## Hints and special features

- Can only be mounted in combination with guardrail.

#### More Information

Warranty Missing translation


Material Aluminium

Description Tray

### Variants

| Order number | Length |
|--------------|--------|
| 41967        | 400 mm |

## Mobile versions for single-sided and double-sided stepladders



### Details

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.



More Information

Warranty

Missing translation

## Variants

| Order number | Assembly side       | Description  |
|--------------|---------------------|--|
| 8100         | outer side of stile | Sprung fixed castors (1 pair = 4 pieces)                                     |
| 8101         | outer side of stile | Sprung fixed castors (1 pair = 2 pieces)                                     |
| 8102         | outer side of stile | Sprung swivel castors  |
| 8103         | outer side of stile | Sprung swivel castors and sprung fixed castors, ø 80 mm (1 set = 2 x 2 pcs.) |
| 8200         | inner side of stile | Sprung fixed castors (1 pair = 4 pieces)                                     |
| 8201         | inner side of stile | Sprung fixed castors (1 pair = 2 pieces)                                     |
| 8202         | inner side of stile | Sprung swivel castors  |
| 8203         | inner side of stile | Sprung swivel castors and sprung fixed castors, ø 80 mm (1 set = 2 x 2 pcs.) |

## Top wheel assembly



## Details

- Suitable for single ladders and push-up ladders. Ladders are equipped with rollers that will not damage the wall surface, allowing easy positioning and set-up.

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.

More Information


Warranty

Missing translation

## Variants

| Order number | Warranty            |
|--------------|---------------------|
| 8110         | Missing translation |

# Mast wheel assembly



## Details

- Suitable for single ladders, push-up and rope-operated ladders. Ladders are equipped with rollers specially adjusted to poles, allowing easy positioning and set-up. Suitable for poles of ø 150 mm to ø 400 mm.

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.

More Information

Warranty

Missing translation

## Variants

| Order number | Description                               |
|--------------|---|
| 8505         | Mast wheel assembly for aluminium ladders |
| 8506         | Mast wheel assembly for plastic ladders   |

# Cross-tube extension - more stability for your ladders



## Details

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.

More Information


Warranty

Missing translation

## Variants

| Order number | Warranty            |
|--------------|---------------------|
| 8107         | Missing translation |

# Rigid locking bar



## Details

- Suitable for stepladders. 2 additional rigid connections ensure optimum stability.

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.

More Information

Warranty

Missing translation

## Variants

| Order number | Description                      |
|--------------|----------------------------------|
| 8831         | Rigid connection up to 5 treads  |
| 8832         | Rigid connection up to 12 treads |

# Hook-in fittings

SKU: ZARGES\_2\_10000242




## Details

- Various hooks can be attached to the stile ends, to hook your ladder into a shelving system, for example. You will find a selection of hooks on the following pages.

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.

# Anti-splay chain



## Details

- For stepladders with straps as protection against splaying. The Perlon straps are replaced with stronger steel chains.

## Hints and special features

- To meet your specific requirements, we offer a range of optional accessories which we professionally fit on your ladder during series production.
- When ordering, state the article numbers for both the ladder and the optional special equipment.

More Information

Warranty

Missing translation

## Variants

| Order number | Description     | Warranty            |
|--------------|-----------------|---------------------|
| 9897         | Fastening chain | Missing translation |

# Theft protection



## Details

- Compatible with ladders with square flanging with maximum tread/rung lengths of 560 mm.
- Includes three-digit combination lock.

## Hints and special features

- Factory fitted.
- Please state the required tread/rung when placing your order.

More Information

Warranty

Missing translation

Description

Theft protection

## Variants

| Order number | Description      | Warranty            |
|--------------|------------------|---------------------|
| 8210         | Theft protection | Missing translation |

# Folding bracket



## Details

- Wear-resistant, anodised bracket.
- Compatible with stepladders with treads and double-sided access.

## Hints and special features

- Factory fitted.

### More Information

Warranty Missing translation

Description Folding bracket

## Variants

| Order number | Version                                  | adjustable-height-pf |
|--------------|--|----------------------|
| 8205         | Nova B                                   |                      |
| 8206         | Saferstep B / R13step B                  |                      |
| 8207         | XLstep B                                 |                      |
| 8208         | Comfortstep B                            |                      |
| 8209         | Seventec B                               |                      |
| 8211         | Saferstep B - stepladder w. treads 2 x 3 | 0                    |
| 8212         | Seventec B - stepladder w. 2 x 3 treads  | 0                    |

# Storage and retrieval tray



## Details

As a tray for laptops, tablets and documents. Attachment to railings with a tube diameter of 36-40 mm. Maximum capacity 10 kg.

- For attachment to guardrail with knee bar (tube diameter 40 mm).

## Hints and special features

- Can only be mounted in combination with guardrail.

## Variants

| Order number | Material |
|--------------|----------|
|--------------|----------|

41968 Aluminium

## Light-alloy tube, anodised, 3.0 m long



### Details

- One intermediate bracket must be fitted for each metre of tubing.

#### More Information

Warranty Missing translation

Description Light-alloy, Ø 30 mm, 3,000 mm long, anodised

## Variants

| Order number | Description | Warranty |
|--------------|-------------|----------|
|--------------|-------------|----------|

40370 Light-alloy, Ø 30 mm, 3,000 mm long, anodised Missing translation

## Light-alloy bracket



### Details

- One intermediate bracket must be fitted for each metre of tubing.

#### More Information

Warranty Missing translation

## Variants

| Order number | Description |
|--------------|-------------|
|--------------|-------------|

41457 Aluminium alloy intermediate bracket

41458 Light-alloy bracket with stop on the right

41459 Light-alloy bracket with stop on the left

## Toolbag



### Details

- Mobile pouch for cordless screwdrivers with slots for accessories
- Can be secured easily to ladder stiles with Velcro.

- Can also be worn on the belt.

#### More Information

Warranty Missing translation

Material Polyester

### Variants

| Order number | Material  | Warranty            |
|--------------|-----------|---------------------|
| 40300        | Polyester | Missing translation |

## Stand-off bracket with tool tray



### Details

- For ladders with rungs.
- Stand-off max. 68 cm, min. 50 cm, adjustable every 3 cm.

#### More Information

Warranty Missing translation

### Variants

| Order number | Material          | Warranty            |
|--------------|-------------------|---------------------|
| 40100        | Galvanised steel. | Missing translation |

## Bucket hook



### Details

- Galvanised steel.
- Suitable for all ladders with square flanging.

#### More Information

Warranty Missing translation

### Variants

| Order number | Material          | Warranty            |
|--------------|-------------------|---------------------|
| 40115        | Galvanised steel. | Missing translation |

# Hook-on tool box



## Details

- Handy plastic box that hooks on to all ladders with rungs or treads.

More Information

Warranty

Missing translation

## Variants

| Order number | Material | Warranty            |
|--------------|----------|---------------------|
| 40920        | Plastic  | Missing translation |

# Trestle



## Details

- 80 cm wide support structure, side protection against slipping.
- Can be folded to save space.
- The heights of all four feet can be individually adjusted from 60 cm to 90 cm.

More Information

Warranty

Missing translation

Material

Wood / steel

## Variants

| Order number | Material     | Warranty            |
|--------------|--------------|---------------------|
| 42132        | Wood / steel | Missing translation |

# Tray



## Details

- aluminium for stepladders.



# Hints and special features

- Due to design modifications, it is necessary to note not only the ladder type but also always the outside dimension of the stiles.

More Information

Warranty

Missing translation

## Variants

| Order number | Length |
|--------------|--------|
| 829798       | 275 mm |
| 800580       | 322 mm |
| 800581       | 326 mm |
| 800582       | 334 mm |
| 800583       | 336 mm |

Hooks for ladders with standard rungs, treads and extra wide rungs.



## Details

- Includes: 1 piece
- Holes must be drilled for assembly.

More Information

Warranty

Missing translation

## Variants

| Order number |
|--------------|
| 40242        |
| 40243        |
| 40244        |

Special hook for ladders with rungs, treads and wide rungs

## Details

- Protefan-coated.
- Scope of delivery: 1 piece, without assembly material.
- Holes must be drilled for assembly.

More Information

Warranty

Missing translation

## Variants

| Order number | Stile hook for guide rails |
|--------------|----------------------------|
| 821700       | 50 mm                      |
| 821701       | 100 mm                     |
| 821702       | 150 mm                     |
| 821703       | 200 mm                     |

# Special hook for ladders with rungs, treads and wide rungs

## Details

- Protefan-coated.
- Scope of delivery: 1 piece, without assembly material.
- Holes must be drilled for assembly.

More Information

Warranty

Missing translation

## Variants

| Order number |
|--------------|
| 821704       |
| 821705       |
| 821706       |

# Hanging hooks



## Details

- Retrofitting possible on all single ladders with square flanging.
- Simple clamping mechanism for fast fitting.
- Compatible with stile heights from 58-85 mm.
- 1 set = 2 pieces (right/left).

More Information

Warranty

Missing translation

## Variants

| Order number | Stile hook for guide rails |
|--------------|----------------------------|
|--------------|----------------------------|

|       |       |
|-------|-------|
| 40058 | 36 mm |
| 40059 | 50 mm |

# ZAP castors



## Details

- Castors for retrofitting. For adding extra mobility to the ZAP Safemaster S.
- For Stile height 58 mm.

### More Information

|             |                     |
|-------------|---------------------|
| Warranty    | Missing translation |
| Description | ZAP castor set      |

## Variants

| Order number | Description    | Warranty            |
|--------------|----------------|---------------------|
| 41671        | ZAP castor set | Missing translation |

# Self-locking castors for safety steps, folding



## Details

### More Information

|             |                     |
|-------------|---------------------|
| Warranty    | Missing translation |
| Description | Castor set          |

## Variants

| Order number | Description | Warranty            |
|--------------|-------------|---------------------|
| 41929        | Castor set  | Missing translation |

# Sprung fixed castor



## Details

- For lower end of ladder.
- Includes: 1 piece
- Holes must be drilled for assembly.

### More Information

Warranty

Missing translation

## Variants

| Order number | Page or Side |
|--------------|--------------|
| 40218        | left         |
| 40219        | right        |

# Self-locking sprung castors (4 pcs.)



## Details

### More Information

Warranty

Missing translation

Description

Self-locking sprung castors (4 pcs.)

## Variants

| Order number | Description                          | Warranty            |
|--------------|--------------------------------------|---------------------|
| 40036        | Self-locking sprung castors (4 pcs.) | Missing translation |

# Sprung swivel castor



## Details

- For lower end of ladder.
- Includes: 1 piece
- Holes must be drilled for assembly.

More Information

Warranty

Missing translation

## Variants

| Order number | Page or Side |
|--------------|--------------|
| 40220        | left         |
| 40221        | right        |

# Castor set for AMA castors



## Details

- For frequently changing sites, optional accessories for subsequent assembly.
- 1 set = 2 pieces.

More Information

Warranty

Missing translation

Description

Castor set (1 set = 2 pcs.)

## Variants

| Order number | Description                 | Warranty            |
|--------------|-----------------------------|---------------------|
| 40268        | Castor set (1 set = 2 pcs.) | Missing translation |

# Stile extension



## Details

- To compensate for height differences on uneven ground, steps etc. Easy to fit.
- Adjustment range max. 375 mm.
- Compatible with ladders with stile depth 48–73 mm.

More Information

|             |                     |
|-------------|---------------------|
| Warranty    | Missing translation |
| Description | Stile extension     |

## Variants

| Order number | Description     | Warranty            |
|--------------|-----------------|---------------------|
| 40922        | Stile extension | Missing translation |

## Stile extension



### Details

- Stile extension, continuous adjustment up to max. 350 mm.

## Hints and special features

- Accessories for telescopic multi-purpose ladder, 4-part

### More Information

|             |                     |
|-------------|---------------------|
| Warranty    | Missing translation |
| Description | Stile extension     |

## Variants

| Order number | Description     | Material  | Warranty            |
|--------------|-----------------|-----------|---------------------|
| 41933        | Stile extension | Aluminium | Missing translation |

## Stile extension



### Details

- For levelling out uneven floor/ground surfaces.

### More Information

|             |                     |
|-------------|---------------------|
| Warranty    | Missing translation |
| Description | Stile extension     |

## Variants

| Order number | Description     | Material  | Warranty            |
|--------------|-----------------|-----------|---------------------|
| 41133        | Stile extension | Aluminium | Missing translation |

# Stile extension for horizontal stabiliser bars



## Details

- For ladders with horizontal stabiliser bars. Continuous adjustment up to a maximum of 375 mm. Easy to fit on to horizontal stabiliser bars.

### More Information

|             |                     |
|-------------|---------------------|
| Warranty    | Missing translation |
| Description | Stile extension     |

## Variants

### Order number

41987

41989

# Pivot foot with rubber tread 125 x 50 mm



## Details

- From stile height 58 x 25 mm.
- Support surface 125 x 50 mm.
- Can be used folded up as a ground spike.
- Includes: 1 piece
- Holes must be drilled for assembly.


### More Information

|          |                     |
|----------|---------------------|
| Warranty | Missing translation |
|----------|---------------------|

## Variants

| Order number | Material            | Warranty            |
|--------------|---------------------|---------------------|
| 40226        | Aluminium / plastic | Missing translation |

# Pivot foot with rubber tread 100 x 55 mm



## Details

- From stile height 42 × 25 mm.
- Support surface 100 x 55 mm.
- Includes: 1 piece
- Holes must be drilled for assembly.

### More Information

Warranty Missing translation

## Variants

| Order number | Material | Warranty            |
|--------------|----------|---------------------|
| 40997        | Plastic  | Missing translation |

# ZAP stabilisers



## Details

- Swing-out stabilisers for increasing stability in accordance with BGI 637 regulations.
- For subsequent fitting, only 2 holes have to be drilled.
- 1 set = 2 pieces.

### More Information

Warranty Missing translation

## Variants

| Order number | Description                | Suitable for        | Weight | adjustable-height-pf | extended length |
|--------------|----------------------------|---------------------|--------|----------------------|-----------------|
| 41667        | ZAP stabiliser set, size 1 | Missing translation | 2.7 kg | 0                    | 0.6 m           |
| 41668        | ZAP stabiliser set, size 2 | Missing translation | 3.1 kg | 0                    | 0.8 m           |
| 41669        | ZAP stabiliser set, size 3 | Missing             | 4.1 kg | 0                    | 1.3 m           |



# Stabiliser kit for retrofitting to Variomax V

## Details

- For extending the base of telescopic multi-function ladders in compliance with EN131-1.
- The stabilisers can be folded in towards the ladder to save space during transport.
- 1 set = 2 pieces (right/left).
- Holes must be drilled for assembly.

### More Information

Warranty Missing translation

adjustable-height-pf 0

## Variants

| Order number | Suitable for | Warranty            | Weight | adjustable-height-pf |
|--------------|--------------|---------------------|--------|----------------------|
| 41379        | 41930-41932  | Missing translation | 1.7 kg | 0                    |

# Ladder stay / base stabiliser



## Details

- Bolts to the ladder with two brackets.
- Non-slip and stable end caps.
- Mounting on tapered ladders possible.

### More Information

Warranty Missing translation

## Variants

| Order number | For box section stiles | Overall span | Spread  | Stile dimensions | Warranty            |
|--------------|------------------------|--------------|---------|------------------|---------------------|
| 40250        | 58mm - 114 mm          | 0.54 m       | 1200 mm | ×                | Missing translation |

# Stabiliser kit for retrofitting to Variotec V

## Details

- For extending the base of telescopic multi-function ladders in compliance with EN131-1.

- The stabilisers can be folded in towards the ladder to save space during transport.
- 1 set = 2 pieces (right/left).
- Holes must be drilled for assembly.

#### More Information

|                      |                     |
|----------------------|---------------------|
| Warranty             | Missing translation |
| adjustable-height-pf | 0                   |

### Variants

| Order number | Suitable for | Warranty            | Weight | adjustable-height-pf |
|--------------|--------------|---------------------|--------|----------------------|
| 42461        | 42394-42396  | Missing translation | 1.7 kg | 0                    |

## Horizontal stabiliser bar for retrofitting



### Details

- Suitable for ladders with 25 mm stile width.
- Mounting on tapered ladders possible.
- NOT a spare part for ladders equipped with horizontal stabiliser bar as standard.

#### More Information

|          |                     |
|----------|---------------------|
| Warranty | Missing translation |
|----------|---------------------|

### Variants

| Order number | For box section stiles | Length  |
|--------------|------------------------|---------|
| 40251        | 42mm - 85 mm           | 1000 mm |
| 299848       | 42mm - 98 mm           | 1200 mm |

## Gutter fastening



### Details

- For safe roof access.

- For securely fastening an access ladder (e.g. a 3-part multi-function ladder) to an eaves gutter.
- Use with stile up to 85 mm possible (1 set = 2 pcs.).

More Information

Warranty Missing translation

## Variants

| Order number | Material        | Warranty            |
|--------------|-----------------|---------------------|
| 40999        | Stainless steel | Missing translation |

## Footplates (1 set = 4 pcs.)



## Details

More Information

Warranty Missing translation

Description Footplates (1 set = 4 pcs.)

## Variants

| Order number | Description                 | Material                   | Warranty            |
|--------------|-----------------------------|----------------------------|---------------------|
| 40037        | Footplates (1 set = 4 pcs.) | Plastic / galvanised steel | Missing translation |

## Floor bracket for AMA



## Details

- For stationary mounting, offers extra stability and prevents the work platform slipping. When five or more AMA modules are used, floor brackets must be fitted for safety reasons.
- 1 set = 2 pieces.

More Information

Warranty Missing translation

Description floor brackets

## Variants

| Order number | Description | Warranty |
|--------------|-------------|----------|
|--------------|-------------|----------|

# Fastening chain



## Details

- For stepladders instead of Perlon belts.
- Includes: 1 piece
- Holes must be drilled for assembly.

### More Information

Warranty

Missing translation

## Variants

| Order number | Length  | Warranty            |
|--------------|---------|---------------------|
| 40252        | 2000 mm | Missing translation |

# Ground spikes



## Details

- Also suitable for stabiliser bars.
- Steel spikes with ground plate from stile height 50 - 114 x 25 mm.
- 1 set = 2 pieces (right/left).

### More Information

Warranty

Missing translation

## Variants

| Order number | Material          | Warranty            |
|--------------|-------------------|---------------------|
| 40939        | Galvanised steel. | Missing translation |

# Retractable stile extension for single-section ladders



## Details

- Stile extension available in two different variants.
- For angled and for straight attachment, depending on requirements.
- 1,300 mm with lift-off retainer.
- 1.100 mm pure stile length

### More Information

Warranty

Missing translation

## Variants

| Order number | Version                    |
|--------------|----------------------------|
| 40222        | right, angled attachment   |
| 40223        | left, angled attachment    |
| 40224        | right, straight attachment |
| 40225        | left, straight attachment  |

# Retractable stile extension for multi-section ladders

## Details

- 1,300 mm with lift-off retainer.
- 1.100 mm pure stile length

### More Information

Warranty

Missing translation

## Variants

| Order number | Version                    |
|--------------|----------------------------|
| 40254        | right, straight attachment |
| 40255        | left, straight attachment  |

# Clamp-on stile extension



## Details

- Suitable for ladders with a stile depth of 73 mm.
- Can be retracted to save space during transport.

|                      |                          |
|----------------------|--------------------------|
| More Information     |                          |
| Warranty             | Missing translation      |
| adjustable-height-pf | 0                        |
| Description          | Clamp-on stile extension |

## Variants

| Order number | Description              | Warranty            | Weight | adjustable-height-pf |
|--------------|--------------------------|---------------------|--------|----------------------|
| 40213        | Clamp-on stile extension | Missing translation | 1.8 kg | 0                    |

# Handrail for aluminium step stool



## Details

|                  |                     |
|------------------|---------------------|
| More Information |                     |
| Warranty         | Missing translation |

## Variants

| Order number | Description | Warranty            |
|--------------|-------------|---------------------|
| 40038        | Handrail    | Missing translation |

# Handrail, foldable



## Details

- Tubing (Ø 25 mm) made of light-alloy for self-installation using a clamp mount on top and a push-in tube in the side flanging.
- Suitable for box-section stiles with a depth of up to 73 mm.

More Information

Warranty Missing translation

## Variants

| Order number | Version |
|--------------|---------|
| 41998        | right   |
| 41999        | left    |

## Pole barrier



## Details

- Compatible with mobile access steps with platform.

More Information

Warranty Missing translation

Description Pole barrier

## Variants

| Order number | Description  | Warranty            |
|--------------|--------------|---------------------|
| 41957        | Pole barrier | Missing translation |

## Handrail



## Details

- Made of light-alloy tube (dia. 25 mm) for self-mounting with clamp, suitable for box-section tube stiles up to 73 mm.

More Information

Warranty

Missing translation

## Variants

| Order number | Length of handrail | suitable for lean-to and shelf ladders with length |
|--------------|--------------------|--|
| 41960        | 1270 mm            | 3 m  |
| 41990        | 1990 mm            | 4.7 m  |

# Accessories for mobile work platforms



## Details

- Double-sided handrail in accordance with EN 131-7 on access optional.

More Information

Warranty

Missing translation

## Variants

| Order number | Description           |
|--------------|-----------------------|
| 41970        | Railing (steps 5 - 6) |
| 41959        | Railing (steps 7 - 8) |

# AMA bridging module



## Details

- For connecting two AMA platforms to create a walkway that can be accessed from both sides.

More Information

Warranty

Missing translation

## Variants

| Order number | Length | Warranty            |
|--------------|--------|---------------------|
| 40273        | 1 m    | Missing translation |



# Aluminium pull-out flooring



## Details

Practical and flexible working area, also for longer work at up to a working height of 3.00 m.

- Width approx. 0.30 m.
- Can be pulled out from 2.00 to 3.50 m
- Can be used up to a standing height of 1 m.

More Information

Warranty                      Missing translation

## Variants

| Order number | Warranty            | Weight | Width  | closed length | extended length |
|--------------|---------------------|--------|--------|---------------|-----------------|
| 42302        | Missing translation | 18 kg  | 0.29 m | 2 m           | 3.5 m           |

# Hook-on platform



## Details

- For comfortable and safe standing. Compatible with runged ladders with a rung spacing of 280 mm. Platform 350 x 270 mm.

More Information

Warranty                      Missing translation

## Variants

| Order number | Material          | Warranty            |
|--------------|-------------------|---------------------|
| 40900        | Galvanised steel. | Missing translation |

# Hook-on platform



## Details

- For comfortable and safe standing. Can be used on ladders with rectangular rungs and a rung spacing of 280 mm. Platform 275 x 260 mm.
- Maximum loading capacity 150 kg.

### More Information

|          |                     |
|----------|---------------------|
| Warranty | Missing translation |
|----------|---------------------|


|                      |   |
|----------------------|---|
| adjustable-height-pf | 0 |
|----------------------|---|

|          |           |
|----------|-----------|
| Material | Aluminium |
|----------|-----------|

## Variants

|       | Material  | Warranty            | adjustable-height-pf |
|-------|-----------|---------------------|----------------------|
| 40450 | Aluminium | Missing translation | 0                    |

## Platform upgrade kit for Multimax M



## Details

- Two-section wooden platform
- Can be folded in the middle to help save space during transport and storage.

### More Information

|          |                     |
|----------|---------------------|
| Warranty | Missing translation |
|----------|---------------------|

|                      |   |
|----------------------|---|
| adjustable-height-pf | 0 |
|----------------------|---|

|          |      |
|----------|------|
| Material | Wood |
|----------|------|

## Variants

| Order number | Length | Suitable for | Weight |
|--------------|--------|--------------|--------|
| 41619        | 1.43 m | 41687        | 4.2 kg |
| 41620        | 1.99 m | 41686        | 5.6 kg |

## Platform upgrade kit for Multitec M



## Details

- Two-section wooden platform
- Can be folded in the middle to help save space during transport and storage.

### More Information

|          |                     |
|----------|---------------------|
| Warranty | Missing translation |
|----------|---------------------|

|                      |   |
|----------------------|---|
| adjustable-height-pf | 0 |
|----------------------|---|

|          |      |
|----------|------|
| Material | Wood |
|----------|------|

## Variants

| Order number | Length | Suitable for | Weight |
|--------------|--------|--------------|--------|
| 42429        | 1.43 m | 42383        | 3.7 kg |
| 42430        | 1.99 m | 42381        | 4.9 kg |
| 42447        | 2.55 m | 42382        | 6.1 kg |

# Ladder holder, lockable



## Details

- Steel, galvanised, including pins and screws. Lock not supplied (1 set = 2 pieces).

More Information

WarrantyMissing translation

## Variants

| Order number | Material          | Warranty            |
|--------------|-------------------|---------------------|
| 40998        | Galvanised steel. | Missing translation |

# Guardrail to work platform, folding



## Details

- Fits Order No. 40040.

More Information

WarrantyMissing translation

DescriptionRailings

## Variants

| Order number | Description | Warranty |
|--------------|-------------|----------|
|--------------|-------------|----------|

40042RailingsMissing translation

# ZAP security door installation kit



## Details

|                  |                     |
|------------------|---------------------|
| More Information |                     |
| Warranty         | Missing translation |

## Variants

| Order number | Description                   | Warranty            |
|--------------|-------------------------------|---------------------|
| 41329        | Installation of security door | Missing translation |

# Tension strap



## Details

- 2.60 m long. To secure the ladder when in use and during transport.

|                  |                     |
|------------------|---------------------|
| More Information |                     |
| Warranty         | Missing translation |

## Variants

| Order number | Material | Warranty            |
|--------------|----------|---------------------|
| 40960        | Plastic  | Missing translation |

# Railings for AMA platform



## Details

# Hints and special features

- Railing BN 40 267 can only be fitted after module D.

## More Information

Warranty Missing translation

Description Railings

## Variants

| Order number | Description | Warranty            |
|--------------|-------------|---------------------|
| 40267        | Railings    | Missing translation |

# Reflective labels



## Details

- Increases visibility through reflection in poor weather conditions or in the dark.
- Can be retrospectively applied to a ladder.
- 1 set = 2 pieces.

## More Information

Warranty Missing translation

## Variants

| Order number | Length | Version                 | Width |
|--------------|--------|-------------------------|-------|
| 40156        | 500 mm | Flanged ladders         | 52 mm |
| 40157        | 230 mm | Riveted/screwed ladders | 36 mm |
| 40158        | 230 mm | Seventec work platform  | 52 mm |
| 40159        | 500 mm | Seventec ladders        | 52 mm |

# Guardrail, anodised



## Details

## More Information

Warranty Missing translation

adjustable-height-pf 0

## Variants

| Order number | Description | Warranty | Weight | adjustable-height-pf |
|--------------|-------------|----------|--------|----------------------|
|--------------|-------------|----------|--------|----------------------|

# Wall support



## Details

- For protection against unwanted pressure on walls or facades with external wall insulation.
- Larger support area with wall-friendly foam material.
- Easy installation thanks to Velcro fastener.
- 1 set = 2 pieces.

### More Information

Warranty

Missing translation

## Variants

| Order number | For box section stiles | Weight |
|--------------|------------------------|--------|
| 40231        | 56mm - 85 mm           |        |
| 40371        | 98mm - 114 mm          | 0.5 kg |

# Non-marking ladder end caps



## Details

- Protects sensitive floors from scuff marks.
- Can be retrospectively installed on ladders with push-on end caps.
- 1 set = 2 pieces.

### More Information

Warranty

Missing translation

## Variants

| Order number | Stile dimensions |
|--------------|------------------|
| 40309        | 42 mm × 25 mm    |
| 40310        | 48 mm × 25 mm    |

**А**лматы (7273)495-231  
**А**нгарск (3955)60-70-56  
**А**рхангельск (8182)63-90-72  
**А**страхань (8512)99-46-04  
**Б**арнаул (3852)73-04-60  
**Б**елгород (4722)40-23-64  
**Б**лаговещенск (4162)22-76-07  
**Б**рянск (4832)59-03-52  
**В**ладивосток (423)249-28-31  
**В**ладикавказ (8672)28-90-48  
**В**ладимир (4922)49-43-18  
**В**олгоград (844)278-03-48  
**В**ологда (8172)26-41-59  
**В**оронеж (473)204-51-73  
**Е**катеринбург (343)384-55-89

**И**ваново (4932)77-34-06  
**И**жевск (3412)26-03-58  
**И**ркутск (395)279-98-46  
**К**азань (843)206-01-48  
**К**алининград (4012)72-03-81  
**К**алуга (4842)92-23-67  
**К**емерово (3842)65-04-62  
**К**иров (8332)68-02-04  
**К**оломна (4966)23-41-49  
**К**острома (4942)77-07-48  
**К**раснодар (861)203-40-90  
**К**расноярск (391)204-63-61  
**К**урск (4712)77-13-04  
**К**урган (3522)50-90-47  
**Л**ипецк (4742)52-20-81

**М**агнитогорск (3519)55-03-13  
**М**осква (495)268-04-70  
**М**урманск (8152)59-64-93  
**Н**абережные Челны (8552)20-53-41  
**Н**ижний Новгород (831)429-08-12  
**Н**овокузнецк (3843)20-46-81  
**Н**оябрьск (3496)41-32-12  
**Н**овосибирск (383)227-86-73  
**О**мск (3812)21-46-40  
**О**рел (4862)44-53-42  
**О**ренбург (3532)37-68-04  
**П**енза (8412)22-31-16  
**П**етрозаводск (8142)55-98-37  
**П**сков (8112)59-10-37  
**П**ермь (342)205-81-47

**Р**остов-на-Дону (863)308-18-15  
**Р**язань (4912)46-61-64  
**С**амара (846)206-03-16  
**С**анкт-Петербург (812)309-46-40  
**С**аратов (845)249-38-78  
**С**евастополь (8692)22-31-93  
**С**аранск (8342)22-96-24  
**С**имферополь (3652)67-13-56  
**С**моленск (4812)29-41-54  
**С**очи (862)225-72-31  
**С**таврополь (8652)20-65-13  
**С**ургут (3462)77-98-35  
**С**ыктывкар (8212)25-95-17  
**Т**амбов (4752)50-40-97  
**Т**верь (4822)63-31-35

**Т**ольятти (8482)63-91-07  
**Т**омск (3822)98-41-53  
**Т**ула (4872)33-79-87  
**Т**юмень (3452)66-21-18  
**У**льяновск (8422)24-23-59  
**У**лан-Удэ (3012)59-97-51  
**У**фа (347)229-48-12  
**Х**абаровск (4212)92-98-04  
**Ч**ебоксары (8352)28-53-07  
**Ч**елябинск (351)202-03-61  
**Ч**ереповец (8202)49-02-64  
**Ч**ита (3022)38-34-83  
**Я**кутск (4112)23-90-97  
**Я**рославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(7172)727-132

**Киргизия** +996(312)96-26-47

<https://zarges.nt-rt.ru/> || [zsc@nt-rt.ru](mailto:zsc@nt-rt.ru)