

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru

Single-section fixed ladder systems



Single-section fixed ladder systems, access height of up to 10 m, anodised aluminium

Details

Stationary access to buildings and machinery up to a height of 10 m, also suitable and approved for use as an escape route.

- For stationary mounting, on buildings either for maintenance in accordance with DIN 18 799-1 or as an emergency ladder system in accordance with DIN 14 094-1 or as machine access steps in accordance with DIN EN ISO 14 122-4.
- Back cage as safety system, complies with any standard.
- Arrestor rail as a safety system in accordance with DIN EN 353-1, DIN 18 799-1 and DIN EN ISO 14 122-4, can be supplied as a single-section fixed ladder even with climbing heights of over 10 m.
- Ladder width: 520 mm.
- Wall brackets with various wall distances up to 600 mm can be selected.
- The distance between the wall brackets is max. 2.00 m. But each ladder section must be mounted with at least 2 wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- On request, we can also produce fixed-ladders that differ from the standard specifications.

Hints and special features

- Dowels and screws/bolts for wall mounting are not included in the scope of delivery.
- The prices for single-section systems listed below are calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.

More Information

Warranty 10 years

Material Anodised aluminium

Variants

Order number	Overall length incl. stile	access height
58148	5.9 m	4.8 m
58157	6.7 m	5.6 m
58165	7.6 m	6.5 m
58174	8.5 m	7.4 m
58185	9.6 m	8.5 m
58196	10.7 m	9.6 m

Single-section fixed ladder systems, access height of up to 10 m, galvanised steel

Details

Stationary access to buildings and machinery up to a height of 10 m, also suitable and approved for use as an escape route.

- For stationary mounting, on buildings either for maintenance in accordance with DIN 18 799-1 or as an emergency ladder system in accordance with DIN 14 094-1 or as machine access steps in accordance with DIN EN ISO 14 122-4.
- Back cage as safety system, complies with any standard.
- Arrester rail as a safety system in accordance with DIN EN 353-1, DIN 18 799-1 and DIN EN ISO 14 122-4, can be supplied as a single-section fixed ladder even with climbing heights of over 10 m.

- Ladder width: 520 mm.
- Wall brackets with various wall distances up to 600 mm can be selected.
- The distance between the wall brackets is max. 2.00 m. But each ladder section must be mounted with at least 2 wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- On request, we can also produce fixed-ladders that differ from the standard specifications.

Hints and special features

- Dowels and screws/bolts for wall mounting are not included in the scope of delivery.
- The prices for single-section systems listed below are calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.

More Information

Warranty 10 years

Variants

Order number	Overall length incl. stile	access height
58348	5.9 m	4.8 m
58357	6.7 m	5.6 m
58365	7.6 m	6.5 m
58374	8.5 m	7.4 m
58385	9.6 m	8.5 m
58396	10.7 m	9.6 m

Single-section fixed ladder systems, access height of up to 10 m, V4A stainless steel

Details

Stationary access to buildings and machinery up to a height of 10 m, also suitable and approved for use as an escape route.

- For stationary mounting, on buildings either for maintenance in accordance with DIN 18 799-1 or as an emergency ladder system in accordance with DIN 14 094-1 or as machine access steps in accordance with DIN EN ISO 14 122-4.
- Back cage as safety system, complies with any standard.
- Arrester rail as a safety system in accordance with DIN EN 353-1, DIN 18 799-1 and DIN EN ISO 14 122-4, can be supplied as a single-section fixed ladder even with climbing heights of over 10 m.
- Ladder width: 520 mm.
- Wall brackets with various wall distances up to 600 mm can be selected.
- The distance between the wall brackets is max. 2.00 m. But each ladder section must be mounted with at least 2 wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- On request, we can also produce fixed-ladders that differ from the standard specifications.

Hints and special features

- Dowels and screws/bolts for wall mounting are not included in the scope of delivery.
- The prices for single-section systems listed below are calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.

More Information

Warranty 10 years

Variants

Order number	Overall length incl. stile	access height
58448	5.9 m	4.8 m
58457	6.7 m	5.6 m
58465	7.6 m	6.5 m
58474	8.5 m	7.4 m
58485	9.6 m	8.5 m
58496	10.7 m	9.6 m

Single-section fixed ladder systems, access height of up to 10 m, natural aluminium

Details

Stationary access to buildings and machinery up to a height of 10 m, also suitable and approved for use as an escape route.

- For stationary mounting, on buildings either for maintenance in accordance with DIN 18 799-1 or as an emergency ladder system in accordance with DIN 14 094-1 or as machine access steps in accordance with DIN EN ISO 14 122-4.
- Back cage as safety system, complies with any standard.
- Arrester rail as a safety system in accordance with DIN EN 353-1, DIN 18 799-1 and DIN EN ISO 14 122-4, can be supplied as a single-section fixed ladder even with climbing heights of over 10 m.
- Ladder width: 520 mm.
- Wall brackets with various wall distances up to 600 mm can be selected.
- The distance between the wall brackets is max. 2.00 m. But each ladder section must be mounted with at least 2 wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- On request, we can also produce fixed-ladders that differ from the standard specifications.

Hints and special features

- Dowels and screws/bolts for wall mounting are not included in the scope of delivery.
- The prices for single-section systems listed below are calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.

More Information

Warranty 10 years

Material Natural aluminium

Variants

Order number	Overall length incl. stile	access height
58248	5.9 m	4.8 m
58257	6.7 m	5.6 m
58265	7.6 m	6.5 m
58274	8.5 m	7.4 m

58285	9.6 m	8.5 m
58296	10.7 m	9.6 m

<div>Алматы (7273)495-231</div> <div>Ангарск (3955)60-70-56</div> <div>Архангельск (8182)63-90-72</div> <div>Астрахань (8512)99-46-04</div> <div>Барнаул (3852)73-04-60</div> <div>Белгород (4722)40-23-64</div> <div>Благовещенск (4162)22-76-07</div> <div>Брянск (4832)59-03-52</div> <div>Владивосток (423)249-28-31</div> <div>Владикавказ (8672)28-90-48</div> <div>Владимир (4922)49-43-18</div> <div>Волгоград (844)278-03-48</div> <div>Вологда (8172)26-41-59</div> <div>Воронеж (473)204-51-73</div> <div>Екатеринбург (343)384-55-89</div>	<div>Иваново (4932)77-34-06</div> <div>Ижевск (3412)26-03-58</div> <div>Иркутск (395)279-98-46</div> <div>Казань (843)206-01-48</div> <div>Калининград (4012)72-03-81</div> <div>Калуга (4842)92-23-67</div> <div>Кемерово (3842)65-04-62</div> <div>Киров (8332)68-02-04</div> <div>Коломна (4966)23-41-49</div> <div>Кострома (4942)77-07-48</div> <div>Краснодар (861)203-40-90</div> <div>Красноярск (391)204-63-61</div> <div>Курск (4712)77-13-04</div> <div>Курган (3522)50-90-47</div> <div>Липецк (4742)52-20-81</div>	<div>Магнитогорск (3519)55-03-13</div> <div>Москва (495)268-04-70</div> <div>Мурманск (8152)59-64-93</div> <div>Набережные Челны (8552)20-53-41</div> <div>Нижний Новгород (831)429-08-12</div> <div>Новокузнецк (3843)20-46-81</div> <div>Ноябрьск (3496)41-32-12</div> <div>Новосибирск (383)227-86-73</div> <div>Омск (3812)21-46-40</div> <div>Орел (4862)44-53-42</div> <div>Оренбург (3532)37-68-04</div> <div>Пенза (8412)22-31-16</div> <div>Петрозаводск (8142)55-98-37</div> <div>Псков (8112)59-10-37</div> <div>Пермь (342)205-81-47</div>	<div>Ростов-на-Дону (863)308-18-15</div> <div>Рязань (4912)46-61-64</div> <div>Самара (846)206-03-16</div> <div>Санкт-Петербург (812)309-46-40</div> <div>Саратов (845)249-38-78</div> <div>Севастополь (8692)22-31-93</div> <div>Саранск (8342)22-96-24</div> <div>Симферополь (3652)67-13-56</div> <div>Смоленск (4812)29-41-54</div> <div>Сочи (862)225-72-31</div> <div>Ставрополь (8652)20-65-13</div> <div>Сургут (3462)77-98-35</div> <div>Сыктывкар (8212)25-95-17</div> <div>Тамбов (4752)50-40-97</div> <div>Тверь (4822)63-31-35</div>	<div>Тольятти (8482)63-91-07</div> <div>Томск (3822)98-41-53</div> <div>Тула (4872)33-79-87</div> <div>Тюмень (3452)66-21-18</div> <div>Ульяновск (8422)24-23-59</div> <div>Улан-Удэ (3012)59-97-51</div> <div>Уфа (347)229-48-12</div> <div>Хабаровск (4212)92-98-04</div> <div>Чебоксары (8352)28-53-07</div> <div>Челябинск (351)202-03-61</div> <div>Череповец (8202)49-02-64</div> <div>Чита (3022)38-34-83</div> <div>Якутск (4112)23-90-97</div> <div>Ярославль (4852)69-52-93</div>
Россия +7(495)268-04-70		Казахстан +7(7172)727-132	Киргизия +996(312)96-26-47	

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru