

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru

Individual parts, shaft equipment

Stay bar with T-shaped handle



Details

- Double-insulated handles.
- Only in combinations with sockets (see below).

Hints and special features

- Attachment materials (dowels etc.) are not included in the scope of delivery.

More Information

Material	Stainless steel
----------	-----------------

Variants

Order number	Length	Material	Weight
--------------	--------	----------	--------

47205	1.6 m	Stainless steel	4 kg
-------	-------	-----------------	------

Access aid



Details

- Plug-in and rotatable with safety handles and releasable catch at the top end.

Variants

Order number	Length	Material	Weight
47561	1.4 m	Stainless steel	6.8 kg

Access aid with safety handle, for attachment to the ladder stile



Details

- For attachment to masonry.
- Can be lowered. For use on either side.
- Includes: 1 stay bar and 1 socket.

Hints and special features

- Attachment materials (dowels etc.) are not included in the scope of delivery.

Variants

Order number	Dimension	Material
47210	45 mm	Galvanised steel.
47211	44 mm	Stainless steel

Access aid with safety handle, for attachment to the ladder stile



Details

- For mounting to side of ladder stile. Can be used on both sides.
- Can be lowered. For use on either side.
- Includes: 1 stay bar and 1 socket, including fastening materials.
- Length: 1,600 mm.

Variants

Order number	Dimension	Material	Suitable for	Weight
47212	45 mm	Steel, galvanised	Steel ladder	5.8 kg
47213	44 mm	Stainless steel	V4A ladder	5 kg
47214	44 mm	Stainless steel	GRP ladder	5.1 kg

Access aid, double-stile



Details

- For attachment to the ladder.
- For fastening to the masonry – can be lowered.
- Incl. attachment material.
- Length: approx. 1,500 mm.

Variants

Order number	Internal width	Material	Suitable for	Weight
47233	300 mm	Steel, galvanised	Steel ladder	6.5 kg

47234	400 mm	Steel, galvanised	Steel ladder	6.8 kg
47235	300 mm	Stainless steel	V4A/GRP ladder	6.7 kg
47236	400 mm	Stainless steel	V4A/GRP ladder	6.9 kg

Stay bar with L-holder



Details

- Double-insulated handle.
- Only in combinations with sockets (see below).

More Information

Material Stainless steel

Variants

Order number	Length	Material	Weight
47267	1.6 m	Stainless steel	3.9 kg

Exit handle



Details


- Welded-on perforated plates at the ends.

Variants

Order number	Length	Material	Weight
47216	0.4 m	Steel, galvanised	1.7 kg

47218	0.6 m	Steel, galvanised	2 kg
47217	0.4 m	Stainless steel	1.7 kg
47219	0.6 m	Stainless steel	2 kg

Access rail



Details

- With offset connecting sleeve (1 x) and welded floor plate.
- Height: approx. 1,100 mm
- Clearance width up to 600 mm possible with an inside width of 400 mm.

Variants

Order number	Depth	Material	Suitable for	Weight
47243	250 mm	Steel, galvanised	Steel ladder	3 kg
47226	500 mm	Steel, galvanised	Steel ladder	4.2 kg
47244	250 mm	Stainless steel	V4A ladder	3 kg
47227	500 mm	Stainless steel	V4A ladder	4.2 kg

Sockets



Details

- Only in combination with access aids, transportable (Order Nos. 47205 or 47267).

- For wall mounting: spacing between drilled holes 320 mm.

Variants

Order number	Assembly type	Material	Wall stand off	Weight
47206	Wall	Stainless steel	30 mm	1.1 kg
47260	Wall	Galvanised steel	30 mm	1.1 kg
47261	Wall	Stainless steel	80 mm	1.5 kg
47262	Wall	Stainless steel	130 mm	1.7 kg
47266	Rung	Stainless steel		1.1 kg

Pin for special handhold to fall arrester system



Details

- For push-on access aid, can be screwed onto arrester rail or single-stile ladder.
- Length: 25 cm.

Variants

Order number	Material	Weight
47563	Stainless steel	1.1 kg

Rail stop




Details

- Releasable lock, mounted at the top.
- Rigid lock, mounted at the bottom.
- Applied above or below the arrester rail depending on use.

Variants

Order number	Version	Weight
47565	separable	0.25 kg
47564	rigid	0.05 kg

Express anchor



Details

- Made from stainless steel, building-authority approved.

Variants

Order number	Material
47207	Stainless steel

Single-stile ladder with integrated arrester rail.



Details

- Non-slip perforated rungs with end stops. Welded to the arrester rail.
- Jointing pieces between the individual parts of the ladder.

- Ladder width 370 mm.


Hints and special features

- If the spatial conditions on-site do not permit the use of double-stile fixed ladders, it is also possible to use so-called single-stile ladders, on which the fall arrester system simultaneously forms the ladder stile (located centrally).

Variants

Order number	Length	Material	Weight
47533	1.4 m	Galvanised steel	7.4 kg
47534	1.96 m	Galvanised steel	10.1 kg
47535	2.8 m	Galvanised steel	14.4 kg
47553	1.4 m	Stainless steel	7.4 kg
47554	1.96 m	Stainless steel	10.1 kg
47555	2.8 m	Stainless steel	14.4 kg

Wall bracket, rigid



Details

- For 150 mm stand-off.
- Suitable for arrester rails and single- stile ladders.
- Wall brackets are required at intervals of max. 1.12 m.

Variants

Order number	Material
47537	Galvanised steel

47557

Stainless steel

Wall bracket, adjustable



Details

- Adjustable for wall clearances from 120 mm to 180 mm.
- Suitable for arrester rails and single- stile ladders.
- Wall brackets are required at intervals of max. 1.12 m.

Variants

Order number	Material
47538	Galvanised steel
47558	Stainless steel

Алматы (7273)495-231
 Ангaрск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru