

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru

Well covers, round and square

Well covers, round



Details

- Lid made from sheet metal, 2.5 mm thick, elevated in the centre, with internal transverse bracing
- From 800 × 800 mm or Ø 800 mm with gas pressure springs.
- Self-locking fastener, locking mechanism can only be disengaged by hand.
- Frame prepared for setting in concrete and attachment with rawlplugs.

Variants

Order number	Inside shaft size	Material	Outside dimensions L x W x H	Transport dimensions
47156	625 mm	Steel, galvanised	745 mm	740 mm × 740 mm × 200 mm
47157	800 mm	Steel, galvanised	920 mm	920 mm × 920 mm × 200 mm
47158	1000 mm	Steel, galvanised	1120 mm	1.120 mm × 1.120 mm × 200 mm
47162	625 mm	Steel, galvanised	745 mm	740 mm × 740 mm × 200 mm
47163	800 mm	Galvanised steel	920 mm	920 mm × 920 mm × 200 mm

47164	1000 mm	Steel, galvanised	1120 mm	1.120 mm × 1.120 mm × 200 mm
47159	625 mm	Stainless steel	745 mm	740 mm × 740 mm × 200 mm
47160	800 mm	Stainless steel	920 mm	920 mm × 920 mm × 200 mm
47161	1000 mm	Stainless steel	1120 mm	1.120 mm × 1.120 mm × 200 mm
47165	625 mm		745 mm	740 mm × 740 mm × 200 mm
47166	800 mm		920 mm	920 mm × 920 mm × 200 mm
47167	1000 mm		1120 mm	1.120 mm × 1.120 mm × 200 mm

Well covers, round



Details

- Lid made from sheet metal, 2.5 mm thick, elevated in the centre, with internal transverse bracing
- From 800 × 800 mm or Ø 800 mm with gas pressure springs.
- Self-locking fastener, locking mechanism can only be disengaged by hand.
- Frame prepared for setting in concrete and attachment with rawlplugs.

Variants

Order number	Inside shaft size	Material	Outside dimensions L x W x H	Transport dimensions
47126	625 mm	Steel, galvanised	745 mm	740 mm × 740 mm × 480 mm
47127	800 mm	Steel, galvanised	920 mm	920 mm × 920 mm × 480 mm
47128	1000 mm	Steel, galvanised	1120 mm	1.120 mm × 1.120 mm × 480 mm

47132	625 mm	Steel, galvanised	745 mm	740 mm × 740 mm × 480 mm
47133	800 mm	Steel, galvanised	920 mm	920 mm × 920 mm × 480 mm
47134	1000 mm	Steel, galvanised	1120 mm	1.120 mm × 1.120 mm × 480 mm
47129	625 mm	Stainless steel	745 mm	740 mm × 740 mm × 480 mm
47130	800 mm	Stainless steel	920 mm	920 mm × 920 mm × 480 mm
47131	1000 mm	Stainless steel	1120 mm	1.120 mm × 1.120 mm × 480 mm
47135	625 mm	Stainless steel	745 mm	740 mm × 740 mm × 480 mm
47136	800 mm	Stainless steel	920 mm	920 mm × 920 mm × 480 mm
47137	1000 mm	Stainless steel	1120 mm	1.120 mm × 1.120 mm × 480 mm

Shaft cover with overlapping cover, square



Details

- Lid made from sheet metal, 2.5 mm thick, elevated in the centre, with internal transverse bracing
- From 800 × 800 mm or Ø 800 mm with gas pressure springs.
- Self-locking fastener, locking mechanism can only be disengaged by hand.
- Frame prepared for setting in concrete and attachment with rawlplugs.

Variants

Order number	Inside shaft length	Inside shaft size	Inside shaft width	Material	Outside dimensions L x W x H	Transport dimensions
--------------	---------------------	-------------------	--------------------	----------	------------------------------	----------------------

47140	625 mm	625mm × 625mm	625 mm	Steel, galvanised	745 mm × 745 mm	740 mm × 740 mm × 200 mm
47141	800 mm	800mm × 800mm	800 mm	Steel, galvanised	920 mm × 920 mm	920 mm × 920 mm × 200 mm
47142	1000 mm	1.000mm × 1.000mm	1000 mm	Steel, galvanised	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 200 mm
47148	625 mm	625mm × 625mm	625 mm	Steel, galvanised	745 mm × 745 mm	740 mm × 740 mm × 200 mm
47149	800 mm	800mm × 800mm	800 mm	Steel, galvanised	920 mm × 920 mm	920 mm × 920 mm × 200 mm
47150	1000 mm	1.000mm × 1.000mm	1000 mm	Steel, galvanised	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 200 mm
47144	625 mm	625mm × 625mm	625 mm	Stainless steel	745 mm × 745 mm	740 mm × 740 mm × 200 mm
47145	800 mm	800mm × 800mm	800 mm	Stainless steel	920 mm × 920 mm	920 mm × 920 mm × 200 mm
47181	1000 mm	1.000mm × 800mm	800 mm	Stainless steel	1.120 mm × 820 mm	1.120 mm × 820 mm × 200 mm
47146	1000 mm	1.000mm × 1.000mm	1000 mm	Stainless steel	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 200 mm
47147	1200 mm	1.200mm × 1.200mm	1200 mm	Stainless steel	1.320 mm × 1.320 mm	1.320 mm × 1.320 mm × 200 mm

47152	625 mm	625mm × 625mm	625 mm	Stainless steel	745 mm × 745 mm	745 mm × 745 mm × 200 mm
47153	800 mm	800mm × 800mm	800 mm	Stainless steel	920 mm × 920 mm	920 mm × 920 mm × 200 mm
47191	1000 mm	1.000mm × 800mm	800 mm	Stainless steel	1.120 mm × 920 mm	1.120 mm × 920 mm × 280 mm
47154	1000 mm	1.000mm × 1.000mm	1000 mm	Stainless steel	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 200 mm
47155	1200 mm	1.200mm × 1.200mm	1200 mm		1.320 mm × 1.320 mm	1.320 mm × 1.320 mm × 200 mm

Well cover, square, with ventilation chimney



Details

- Lid made from sheet metal, 2.5 mm thick, elevated in the centre, with internal transverse bracing
- From 800 × 800 mm or Ø 800 mm with gas pressure springs.
- Self-locking fastener, locking mechanism can only be disengaged by hand.
- Frame prepared for setting in concrete and attachment with rawlplugs.
- EPDM seal on the underside of the lid

Variants

Order number	Inside shaft length	Inside shaft size	Inside shaft width	Material	Outside dimensions L x W x H	Transport dimensions
47110	625 mm	625mm × 625mm	625 mm	Steel, galvanised	745 mm × 745 mm	740 mm × 740 mm × 460 mm

47111	800 mm	800mm × 800mm	800 mm	Steel, galvanised	920 mm × 920 mm	920 mm × 920 mm × 460 mm
47112	1000 mm	1.000mm × 1.000mm	1000 mm	Steel, galvanised	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 460 mm
47118	625 mm	625mm × 625mm	625 mm	Steel, galvanised	745 mm × 745 mm	750 mm × 750 mm × 480 mm
47119	800 mm	800mm × 800mm	800 mm	Steel, galvanised	920 mm × 920 mm	920 mm × 920 mm × 480 mm
47120	1000 mm	1.000mm × 1.000mm	1000 mm	Galvanised steel	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 480 mm
47114	625 mm	625mm × 625mm	625 mm	Stainless steel	745 mm × 745 mm	740 mm × 740 mm × 460 mm
47115	800 mm	800mm × 800mm	800 mm	Stainless steel	920 mm × 920 mm	920 mm × 920 mm × 460 mm
47180	1000 mm	1.000mm × 800mm	800 mm	Stainless steel	1.120 mm × 920 mm	1.120 mm × 920 mm × 400 mm
47116	1000 mm	1.000mm × 1.000mm	1000 mm	Stainless steel	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 460 mm
47117	1200 mm	1.200mm × 1.200mm	1200 mm	Stainless steel	1.320 mm × 1.320 mm	1.320 mm × 1.320 mm × 460 mm
47122	625 mm	625mm × 625mm	625 mm	Stainless steel	745 mm × 745 mm	740 mm × 740 mm × 480 mm
47123	800 mm	800mm × 800mm	800 mm	Stainless steel	920 mm × 920 mm	920 mm × 920 mm × 480 mm
47190	1000 mm	1.000mm	800 mm	Stainless	1.120 mm ×	1.120 mm × 920 mm ×

		× 800mm		steel	920 mm	460 mm
47124	1000 mm	1.000mm × 1.000mm	1000 mm	Stainless steel	1.120 mm × 1.120 mm	1.120 mm × 1.120 mm × 480 mm
47125	1200 mm	1.200mm × 1.200mm	1200 mm	Stainless steel	1.320 mm × 1.320 mm	1.320 mm × 1.320 mm × 480 mm

- Алматы (7273)495-231

Ангарск (3955)60-70-56

Архангельск (8182)63-90-72

Астрахань (8512)99-46-04

Барнаул (3852)73-04-60

Белгород (4722)40-23-64

Благовещенск (4162)22-76-07

Брянск (4832)59-03-52

Владивосток (423)249-28-31

Владикавказ (8672)28-90-48

Владимир (4922)49-43-18

Волгоград (844)278-03-48

Вологда (8172)26-41-59

Воронеж (473)204-51-73

Екатеринбург (343)384-55-89
- Иваново (4932)77-34-06

Ижевск (3412)26-03-58

Иркутск (395)279-98-46

Казань (843)206-01-48

Калининград (4012)72-03-81

Калуга (4842)92-23-67

Кемерово (3842)65-04-62

Киров (8332)68-02-04

Коломна (4966)23-41-49

Кострома (4942)77-07-48

Краснодар (861)203-40-90

Красноярск (391)204-63-61

Курск (4712)77-13-04

Курган (3522)50-90-47

Липецк (4742)52-20-81
- Магнитогорск (3519)55-03-13

Москва (495)268-04-70

Мурманск (8152)59-64-93

Набережные Челны (8552)20-53-41

Новокузнецк (3843)20-46-81

Новокузнецк (3843)20-46-81

Новосибирск (383)227-86-73

Омск (3812)21-46-40

Орел (4862)44-53-42

Оренбург (3532)37-68-04

Пенза (8412)22-31-16

Петрозаводск (8142)55-98-37

Псков (8112)59-10-37

Пермь (342)205-81-47
- Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64

Самара (846)206-03-16

Санкт-Петербург (812)309-46-40

Саратов (845)249-38-78

Севастополь (8692)22-31-93

Саранск (8342)22-96-24

Симферополь (3652)67-13-56

Смоленск (4812)29-41-54

Сочи (862)225-72-31

Ставрополь (8652)20-65-13

Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17

Тамбов (4752)50-40-97

Тверь (4822)63-31-35
- Тольятти (8482)63-91-07

Томск (3822)98-41-53

Тула (4872)33-79-87

Тюмень (3452)66-21-18

Ульяновск (8422)24-23-59

Улан-Удэ (3012)59-97-51

Уфа (347)229-48-12

Хабаровск (4212)92-98-04

Чебоксары (8352)28-53-07

Челябинск (351)202-03-61

Череповец (8202)49-02-64

Чита (3022)38-34-83

Якутск (4112)23-90-97

Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru