

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://zarges.nt-rt.ru/> || zsc@nt-rt.ru

Mitraset Classic 19" case



Details

Housing for electronic instruments

- Protection against mechanical stresses such as impacts, shocks or vibrations. Protection against electromagnetic interference (such as radio waves or lightning strikes) is also available as an option.
- Protection against environmental influences such as heat, moisture, water or dust.
- For loads of up to 100 kg.
- 3 - 22 height units, nominal depth 219 - 990 mm.
- Housings with nominal depths 219 mm, 350 mm and 480 mm can be stacked together.
- Elastically susp. anti-vibration frame.
- Stacking segments on housing top and bottom.
- Recesses on side walls for drop handles.
- Recess also suitable for accommodating protective pressure compensation valves and humidity indicator.
- Standard housing with additional reinforced specifications.
- Lid with toggle-action snap fasteners.
- IP 65 rated
- Fulfils the requirements of VG 95447.
- Tested according to AECTP standards.
- Tested according to MIL-STD-810.
- Modified version with testing in accordance with MIL-STD-810 F.
- Shielding attenuation test in accordance with MIL-STD-285.
- Customised versions available.

Hints and special features

- Additional sizes available on request. Height of casing with stacking foot = external dimension (nominal size) + 11.5mm. Depth of special lid varies according to design.
- Also available as UN-approved hazardous goods packaging.
- Comprehensive range of special fittings for many applications.

Variants

Order number	Installation height	Nominal depth	Outside dimensions L x W x H	Weight
45702	3 HE/U	219 mm	303 mm × 534 mm × 214,5 mm	6.6 kg
45708	4 HE/U	219 mm	303 mm × 534 mm × 259 mm	7 kg
45714	5 HE/U	219 mm	303 mm × 534 mm × 303,5 mm	7.3 kg
45726	7 HE/U	219 mm	303 mm × 534 mm × 392,5 mm	7.8 kg
45720	6 HE/U	219 mm	303 mm × 534 mm × 348 mm	7.5 kg
45732	8 HE/U	219 mm	303 mm × 534 mm × 437 mm	8.2 kg
45738	9 HE/U	219 mm	303 mm × 534 mm × 481,5 mm	8.4 kg
45744	10 HE/U	219 mm	303 mm × 534 mm × 526 mm	8.6 kg
45750	11 HE/U	219 mm	303 mm × 534 mm × 570,5 mm	8.8 kg
45756	12 HE/U	219 mm	303 mm × 534 mm × 615 mm	9 kg
45704	3 HE/U	350 mm	434 mm × 534 mm × 214,5 mm	8.6 kg
45710	4 HE/U	350 mm	434 mm × 534 mm × 259 mm	9 kg

45716	5 HE/U	350 mm	434 mm × 534 mm × 303,5 mm	9.3 kg
45722	6 HE/U	350 mm	434 mm × 534 mm × 348 mm	9.6 kg
45728	7 HE/U	350 mm	434 mm × 534 mm × 348 mm	10 kg
45734	8 HE/U	350 mm	434 mm × 534 mm × 437 mm	10.3 kg
45740	9 HE/U	350 mm	434 mm × 534 mm × 481,5 mm	10.7 kg
45746	10 HE/U	350 mm	434 mm × 534 mm × 526 mm	11 kg
45752	11 HE/U	350 mm	434 mm × 534 mm × 570,5 mm	11.3 kg
45758	12 HE/U	350 mm	434 mm × 534 mm × 615 mm	11.6 kg
45706	3 HE/U	480 mm	564 mm × 534 mm × 214,5 mm	10.7 kg
45712	4 HE/U	480 mm	564 mm × 534 mm × 259 mm	11.1 kg
45718	5 HE/U	480 mm	564 mm × 534 mm × 303,5 mm	11.4 kg
45724	6 HE/U	480 mm	564 mm × 534 mm × 348 mm	11.9 kg
45730	7 HE/U	480 mm	564 mm × 534 mm × 392,5 mm	12.2 kg
45736	8 HE/U	480 mm	564 mm × 534 mm × 437 mm	12.6 kg
45742	9 HE/U	480 mm	564 mm × 534 mm × 481,5 mm	13 kg
45748	10 HE/U	480 mm	564 mm × 534 mm × 526 mm	13.3 kg
45754	11 HE/U	480 mm	564 mm × 534 mm × 570,5 mm	13.7 kg

45760	12 HE/U	480 mm	564 mm × 534 mm × 615 mm	14.1 kg
45803	3 HE/U	610 mm	694 mm × 534 mm × 214,5 mm	13.5 kg
45804	4 HE/U	610 mm	694 mm × 534 mm × 259 mm	14.1 kg
45805	5 HE/U	610 mm	694 mm × 534 mm × 303,5 mm	14.7 kg
45806	6 HE/U	610 mm	694 mm × 534 mm × 348 mm	15.2 kg
45807	7 HE/U	610 mm	694 mm × 534 mm × 392,5 mm	15.9 kg
45808	8 HE/U	610 mm	694 mm × 534 mm × 437 mm	16.6 kg
45809	9 HE/U	610 mm	694 mm × 534 mm × 481,5 mm	17.1 kg
45810	10 HE/U	610 mm	694 mm × 534 mm × 526 mm	17.5 kg
45811	11 HE/U	610 mm	694 mm × 534 mm × 570,5 mm	24.7 kg
45812	12 HE/U	610 mm	694 mm × 534 mm × 615 mm	18.6 kg
45814	14 HE/U	610 mm	694 mm × 534 mm × 704 mm	19.9 kg
45816	16 HE/U	610 mm	694 mm × 534 mm × 793 mm	
45863	3 HE/U	762 mm	856 mm × 534 mm × 214,5 mm	16.2 kg
45864	4 HE/U	762 mm	856 mm × 534 mm × 259 mm	16.8 kg
45865	5 HE/U	762 mm	856 mm × 534 mm × 303,5 mm	17.4 kg
45866	6 HE/U	762 mm	856 mm × 534 mm × 348 mm	17.9 kg

45867	7 HE/U	762 mm	856 mm × 534 mm × 392,5 mm	18.6 kg
45868	8 HE/U	762 mm	856 mm × 534 mm × 437 mm	19.3 kg
45869	9 HE/U	762 mm	856 mm × 534 mm × 481,5 mm	19.8 kg
45870	10 HE/U	762 mm	856 mm × 534 mm × 526 mm	20.2 kg
45871	11 HE/U	762 mm	856 mm × 534 mm × 570,5 mm	20.8 kg
45872	12 HE/U	762 mm	856 mm × 534 mm × 615 mm	21.3 kg
45874	14 HE/U	762 mm	856 mm × 534 mm × 704 mm	22 kg
45876	16 HE/U	762 mm	856 mm × 534 mm × 793 mm	23.8 kg
45878	18 HE/U	762 mm	856 mm × 534 mm × 882 mm	25.6 kg

- Алматы (7273)495-231

Ангарск (3955)60-70-56

Архангельск (8182)63-90-72

Астрахань (8512)99-46-04

Барнаул (3852)73-04-60

Белгород (4722)40-23-64

Благовещенск (4162)22-76-07

Брянск (4832)59-03-52

Владивосток (423)249-28-31

Владикавказ (8672)28-90-48

Владимир (4922)49-43-18

Волгоград (844)278-03-48

Вологда (8172)26-41-59

Воронеж (473)204-51-73

Екатеринбург (343)384-55-89

Иваново (4932)77-34-06

Ижевск (3412)26-03-58

Иркутск (395)279-98-46

Казань (843)206-01-48

Калининград (4012)72-03-81

Калуга (4842)92-23-67

Кемерово (3842)65-04-62

Киров (8332)68-02-04

Коломна (4966)23-41-49

Кострома (4942)77-07-48

Краснодар (861)203-40-90

Красноярск (391)204-63-61

Курск (4712)77-13-04

Курган (3522)50-90-47

Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13

Москва (495)268-04-70

Мурманск (8152)59-64-93

Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12

Новокузнецк (3843)20-46-81

Ноябрьск (3496)41-32-12

Новосибирск (383)227-86-73

Омск (3812)21-46-40

Орел (4862)44-53-42

Оренбург (3532)37-68-04

Пенза (8412)22-31-16

Петрозаводск (8142)55-98-37

Псков (8112)59-10-37

Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64

Самара (846)206-03-16

Санкт-Петербург (812)309-46-40

Саратов (845)249-38-78

Севастополь (8692)22-31-93

Саранск (8342)22-96-24

Симферополь (3652)67-13-56

Смоленск (4812)29-41-54

Сочи (862)225-72-31

Ставрополь (8652)20-65-13

Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17

Тамбов (4752)50-40-97

Тверь (4822)63-31-35

Тольятти (8482)63-91-07

Томск (3822)98-41-53

Тула (4872)33-79-87

Тюмень (3452)66-21-18

Ульяновск (8422)24-23-59

Улан-Удэ (3012)59-97-51

Уфа (347)229-48-12

Хабаровск (4212)92-98-04

Чебоксары (8352)28-53-07

Челябинск (351)202-03-61

Череповец (8202)49-02-64

Чита (3022)38-34-83

Якутск (4112)23-90-97

Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47
- <https://zarges.nt-rt.ru/> || zsc@nt-rt.ru